




For Installation of Lador 13,14 Cluster Column projectors LED.  
Model. ULD-20011,ULD-20012,ULD-20021, and ULD-20022

## Product drawing (dimensions)




CE IP65 IK08 CLASS I



ULD-20011,ULD-20012



ULD-20021,ULD-20022



Model No.	Dimension				
	H	A	B	C	D
ULD-20011	13.0'	11.81"	23.62"	35.43"	47.24"
ULD-20021					
ULD-20012	19'-8.18"	15.74"	31.49"	47.24"	62.99"
ULD-20022					

### Notice to installer :

- 1.WIRING INSTRUCTIONS** Warning : RISK OF FIRE AND ELECTRICAL SHOCK. : FIXTURE MUST BE INSTALLED BY A QUALIFIED ELECTRICIAN ONLY>FIXTURE IS INTENDED FOR INSTALLATION IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE, LOCAL AND FEDERAL CODE SPECIFICATIONS. DISCONNECT POWER BEFORE SERVICING.
- 2.This fixture has a VOLTAGE SPECIFIC BALLAST,Check that the supply voltage is the same as the installed ballast voltage.**

**Ligman Lighting USA**

7144 NE Progress Court, Hillsboro  
Oregon, 97124, USA  
Tel : 503 645 0500 | Fax : 503 645 8100

